

SAFETY DATA SHEET

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: CHARGER DATE PREPARED: 1/2/2020 9152 PRODUCT NUMBER: SUPERCEDED DATE: 2/28/2019

PRODUCT FAMILY: ACID DETERGENT

MANUFACTURER: KO MANUFACTURING, INC

EMERGENCY CONTACT: 2720 E. DIVISION STREET CHEMTREC 800-424-9300 SPRINGFIELD, MO 65803

417-866-8000

INFORMATION USE: HEAVY DUTY CLEANER

2. HAZARD IDENTIFICATION

DOT HAZARD CLASSIFICATION: CORROSIVE LIQUID

SIGNAL WORD: DANGER!

ROUTE OF EXPOSURE: EYE CONTACT, SKIN CONTACT, INGESTION AND INHALATION

GHS HAZARD CLASSIFICATION: CORROSIVE TO METAL 1

SKIN CORROSIVE 1B EYE DAMAGE/IRRITATION 1 ACUTE TOXICITY, ORAL 4 AQUATIC ACUTE TOXICITY 3



GHS LABEL H290 - May be corrosive to metal.

ELEMENTS: H302 - Harmful if swallowed.

H314 - Causes severe skin burns and eve damage.

H402 - Harmful to aquatic life.

P234 - Keep only in original container.

P260 - Do not breathe dust/fume/gas/vapours/spray. P264 - Wash exposed skin thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/boots/clothing/eye protection/face protection.

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P351 - Rinse cautiously with water for several minutes.

P363 - Wash contaminated clothing before reuse.

P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call POISON CENTER or doctor/physician.

P390 - Absorb spillage to prevent material damage.

P404 - Store in a closed container.

P405 - Store locked up.

P406 - Store in corrosive resistant HDPE plastic container.

P501 - Dispose of content/container in accordance with local/national regulations.

PICTOGRAMS





3.COMPOSITION IDENTIFICATION

INGREDIENTS: C.A.S. NUMBER: PERCENT: SULFURIC ACID 7664-93-9 <10.0% <10.0% PHOSPHORIC ACID 7664-93-9 <17.0% 2-BUTOXYETHANOL 111-76-2 <15.0% ALCOHOL ETHOXYLATES 68439-46-3 <5.0% DODECYLBENZENE SULFONIC ACID 27176-87-0 <1.0% **D-LIMONENE** 5989-27-5 Balance 7732-18-5 WATER

4. FIRST AID MEASURES

EYE CONTACT: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO SO. CONTINUE RINSING. CALL A PHYSICIAN IMMEDIATELY.

PRODUCT NAME: CHARGER DATE PREPARED: 1/2/2020 **PRODUCT NUMBER:** 9152 SUPERCEDED DATE: 2/28/2019

4. FIRST AID MEASURES - CONTINUED

SKIN CONTACT: WASH EXPOSED SKIN THOROUGHLY AFTER HANDLING. REMOVE/TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/SHOWER. GET MEDICAL ADVICE/ATTENTION.

RINSE MOUTH. DO NOT INDUCE VOMITING. IF CONSCIOUS, GIVE LARGE QUANTITIES OF WATER TO DRINK. **INGESTION:**

CALL A POISON CENTER OR PHYSICIAN IMMEDIATELY.

REMOVE VICTIM TO FRESH AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR BREATHING. GIVE INHALATION:

OXYGEN OR ARTIFICIAL RESPIRATION AS NEEDED. CALL A POISON CENTER OR PHYSICIAN IMMEDIATELY.

5. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES: NON FLAMMABLE.

>200 F FLASH POINT:

SUITABLE EXTINGUISHING MEDIA: DRY CHEMICAL, FOAM OR CARBON DIOXIDE, WATER SPRAY.

UNSUITABLE EXTINGUISHING MEDIA: NOT ESTABLISHED.

SPECIFIC HAZARDS ARISING NONE KNOWN.

FROM THE CHEMICAL:

PROTECTIVE EQUIPMENT AND WEAR SELF-CONTAINED BREATHING APPARATUS (PRESSURE DEMAND MSHA/NIOSH

PRECAUTIONS FOR FIREFIGHTERS: APPPROVED) AND FULL PROTECTIVE GEAR.

6. ACCIDENTAL RELEASE MEASURES

AVOID CONTACT WITH EYES AND SKIN. SPILL AREA MAY BE SLIPPERY. WEAR PROPER PERSONAL PRECAUTIONS:

PROTECTIVE EOUIPMENT WHEN DEALING WITH RELEASE.

CONTAIN SPILL TO AVOID RELEASE TO THE ENVIRONMENT. KEEP CONTAINER **ENVIRONMENTAL PRECAUTIONS:**

TIGHTLY CLOSED.

METHODS FOR CONTAINMENT DIKE AND CONTAIN SPILL. COLLECT LIQUID WITH AN INERT ABSORBENT AND

TRANSFER TO CONTAINER FOR REUSE OR DISPOSAL. AND CLEAN-UP:

7. HANDLING AND STORAGE

HANDLING: HANDLE WITH CARE AND AVOID CONTACT WITH EYES AND SKIN. ALWAYS WEAR PROPER CHEMICAL

RESISTANT PROTECTIVE EQUIPMENT 29CFR1910.132-138. WASH THOROUGHLY AFTER HANDLING.

AVOID RELEASE TO THE ENVIRONMENT. STORE IN LOCKED STORAGE USING CORROSIVE RESISTANT **STORAGE:**

CONTAINERS. KEEP OUT OF REACH OF CHILDREN.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: IF MIST LEVELS ARE HIGH SPECIAL VENTILATION MAY BE REQUIRED.

EYE / FACE PROTECTION: CHEMICAL SAFETY GOGGLES AND FULL FACE SHIELD.

SKIN PROTECTION: CHEMICAL RESISTANT GLOVES AND IMPERVIOUS APRON AND BOOTS.

THRESHOLD LIMIT VALUE (TLV): SULFURIC ACID, 0.2 MG/M³; PHOSPHORIC ACID, 1 MG/M³; 2-BUTOXYETHANOL, 20 PPM

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: LIQUID. VISCOSITY: NOT ESTABLISHED.

APPEARANCE: AMBER LIQUID. REALITIVE DENSITY: 9.2 LBS./GL.

ODOR: LIGHT CITRUS SCENT. **SOLUBILITY:** SOLUBLE.

BOILING POINT: NOT ESTABLISHED. VAPOR PRESSURE: NOT ESTABLISHED. FREEZING POINT: NOT ESTABLISHED. VAPOR DENSITY: NOT ESTABLISHED.

SPECIFIC GRAVITY: 1.10 DECOMPOSITION NOT ESTABLISHED.

TEMPERATURE: pH (1%): 1.5-2.5

PARTICAL COEFFICIENT: NOT ESTABLISHED. **EVAPORATION RATE:** LESS THAN 1.

N-OCTANOL/WATER

FLASH POINT: >200 F

LOWER FLAMMABILITY/EXPLOSIVE LIMIT: NOT ESTABLISHED.

UPPER FLAMMABLE/EXPLOSIVE LIMIT: NOT ESTABLISHED.

AUTO-IGNITION TEMPERATURE: NOT ESTABLISHED.

Page 2 of 3

DATE PREPARED: 1/2/2020 **PRODUCT NAME:** CHARGER PRODUCT NUMBER: 9152 SUPERCEDED DATE: 2/28/2019

10. STABILITY AND REACTIVITY

CHEMICAL STABILITY: STABLE.

CONDITIONS TO AVOID: NO UNUSUAL CONDITIONS.

INCOMPATIBLE MATERIALS: SOFT METALS AND ACIDIC COMPOUNDS.

HAZARDOUS DECOMPOSITION PRODUCTS: CARBON MONOXIDE AND DIOXIDE FROM THERMAL DECOMPOSITION.

11. TOXICOLOGICAL INFORMATION

CAN CAUSE SEVERE BURNS TO EYES AND SKIN EYE IRRITATION/CORROSION:

EFFECTS OF SHORT-TERM EXPOSURE: IRRITATION OR BURNS TO EYES, SKIN AND MOUTH. HARMFUL IF SWALLOWED. CAN CAUSE BURNS TO MOUTH, THROAT, STOMACH. INGESTION:

NOT ESTABLISHED. LD-50:

CARCINOGENICITY: NOT CONSIDERED A CARCINOGEN BY IARC, ACGIH, NTP, OR OSHA

12.ECOLOGICAL IDENTIFICATION

ECOTOXICITY: NOT ESTABLISHED.

PERSISTENCE AND DEGRADABILITY: BIODEGRADABLE. BIOACCUMULATION/ACCUMULATION NOT ESTABLISHED.

13.DISPOSAL CONDITIONS

THIS MATERIAL WHEN DISCARDED IS A HAZARDOUS WASTE DEFINED BY 40CFR261, MATERIALS ARE TO BE DISPOSED OF IN ACCORDANCE WITH ALL FEDERAL. STATE AND LOCAL REGULATIONS.

14. TRANSPORTATION INFORMATION

GROUND SHIPPING INFORMATION:

UN1760, CORROSIVE LIQUID, N.O.S., (SULFURIC ACID, PHOSPHORIC ACID), 8, PGII.

WATER SHIPPING INFORMATION:

UN1760, CORROSIVE LIQUID, N.O.S., (SULFURIC ACID, PHOSPHORIC ACID), 8, PGII.

AIR SHIPPING INFORMATION:

UN1760, CORROSIVE LIQUID, N.O.S., (SULFURIC ACID, PHOSPHORIC ACID), 8, PGII.

15. REGULATORY INFORMATION

US FEDERAL REGULATIONS:

TSCA (TOXIC SUBSTANCE CONTROL ACT) ALL COMPONENTS LISTED ON TSCA INVENTORY.

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT):

313 REPORTABLE INGREDIENTS **CAS NUMBER:** PERCENT:

CATEGORY N230 GLYCOL ETHERS 16.0%

STATE REGULATIONS: /!

CALIFORNIA PROPOSITION 65

Possible Trace Ethylene Oxide cas# 75-21-8 Possible Trace 1.4-Dioxane cas# 123-91-1

INTERNATIONAL REGULATIONS: CLASS E CORROSIVE UNDER CANADIAN WHMIS; CLASS D-2A MATERIAL CAUSES TOXIC

EFFECTS UNDER CANADIAN WHMIS

SECTION 15 NOTES: NONE.

16. OTHER INFORMATION

PHONE NUMBER: 417-866-8000

DATE OF PREPARATION: 1/2/2020

This document is generated for the purpose of distributing health, safety and environmental data. It is not a specification sheet nor should any displayed data be construed as a specification. The information provided in this Safety Data Sheet has been compiled from experience and data presented in various technical publications. Itis the user's responsibility to determine the suitability of this information for the adoption of safety precautions as may be necessary. We reserve the right to revise Safety Data Sheets at any time as new techincal information becomes available. The information contained herein is furnished without warranty of any kind.

Page 3 of 3