



# SAFETY DATA SHEET

## 1. PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** TIRE KLEEN  
**PRODUCT NUMBER:** 9350  
**PRODUCT FAMILY:** ALKALINE DETERGENT  
**MANUFACTURER:** KO MANUFACTURING, INC  
 2720 E. DIVISION STREET  
 SPRINGFIELD, MO 65803  
 417-866-8000  
**INFORMATION USE:** HEAVY DUTY CLEANER


**DATE PREPARED:** 1/2/2020  
**SUPERCEDED DATE:** 8/28/2018

**EMERGENCY CONTACT:**  
 CHEMTREC 800-424-9300

## 2. HAZARD IDENTIFICATION

**DOT HAZARD CLASSIFICATION:** CORROSIVE LIQUID  
**SIGNAL WORD:** DANGER!  
**ROUTE OF EXPOSURE:** EYE CONTACT, SKIN CONTACT, INGESTION AND INHALATION  
**GHS HAZARD CLASSIFICATION:** SKIN CORROSIVE 1C  
 EYE DAMAGE/IRRITATION 1

NFPA



**GHS LABEL ELEMENTS:** H314 - Causes severe skin burns and eye damage.  
 P260 - Do not breathe dust/fume/gas/vapours/spray.  
 P264 - Wash exposed skin thoroughly after handling.  
 P280 - Wear protective gloves/clothing/eye protection/face protection.  
 P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
 P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.  
 P351 - Rinse cautiously with water for several minutes.  
 P363 - Wash contaminated clothing before reuse.  
 P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P310 - Immediately call POISON CENTER or doctor/physician.  
 P405 - Store locked up.  
 P501 - Dispose of content/container in accordance with local/national regulations.

PICTOGRAMS



## 3.COMPOSITION IDENTIFICATION

INGREDIENTS:	C.A.S. NUMBER:	PERCENT:
SODIUM HYDROXIDE	1310-73-2	<15.0%
2-BUTOXYETHANOL	111-76-2	<6.0%
ALCOHOL ETHOXYLATES	68439-46-3	<5.0%
SODIUM XYLENESULFONATE	1300-72-7	<5.0%
TETRASODIUM EDTA	64-02-8	<5.0%
SODIUM DODECYLBENZENE SULFONATE	25155-30-0	<2.0%
WATER	7732-18-5	Balance

## 4. FIRST AID MEASURES

**EYE CONTACT:** RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO SO. CONTINUE RINSING. CALL A PHYSICIAN IMMEDIATELY.

**PRODUCT NAME:** TIRE KLEEN

**DATE PREPARED:** 1/2/2020

**PRODUCT NUMBER:** 9350

**SUPERCEDED DATE:** 8/28/2018

#### 4. FIRST AID MEASURES - CONTINUED

**SKIN CONTACT:** WASH EXPOSED SKIN THOROUGHLY AFTER HANDLING. REMOVE/TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/SHOWER. GET MEDICAL ADVICE/ATTENTION.

**INGESTION:** RINSE MOUTH. DO NOT INDUCE VOMITING. IF CONSCIOUS, GIVE LARGE QUANTITIES OF WATER TO DRINK. CALL A POISON CENTER OR PHYSICIAN IMMEDIATELY.

**INHALATION:** REMOVE VICTIM TO FRESH AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR BREATHING. GIVE OXYGEN OR ARTIFICIAL RESPIRATION AS NEEDED. CALL A POISON CENTER OR PHYSICIAN IMMEDIATELY.

#### 5. FIRE FIGHTING MEASURES

**FLAMMABLE PROPERTIES:** NON FLAMMABLE.

**FLASH POINT:** >200 F

**SUITABLE EXTINGUISHING MEDIA:** DRY CHEMICAL, FOAM OR CARBON DIOXIDE, WATER SPRAY.

**UNSUITABLE EXTINGUISHING MEDIA:** NOT ESTABLISHED.

**SPECIFIC HAZARDS ARISING FROM THE CHEMICAL:** NONE KNOWN.

**PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS:** WEAR SELF-CONTAINED BREATHING APPARATUS (PRESSURE DEMAND MSHA/NIOSH APPROVED) AND FULL PROTECTIVE GEAR.

#### 6. ACCIDENTAL RELEASE MEASURES

**PERSONAL PRECAUTIONS:** AVOID CONTACT WITH EYES AND SKIN. SPILL AREA MAY BE SLIPPERY. WEAR PROPER PROTECTIVE EQUIPMENT WHEN DEALING WITH RELEASE.

**ENVIRONMENTAL PRECAUTIONS:** CONTAIN SPILL TO AVOID RELEASE TO THE ENVIRONMENT. KEEP CONTAINER TIGHTLY CLOSED.

**METHODS FOR CONTAINMENT AND CLEAN-UP:** DIKE AND CONTAIN SPILL. COLLECT LIQUID WITH AN INERT ABSORBENT AND TRANSFER TO CONTAINER FOR REUSE OR DISPOSAL.

#### 7. HANDLING AND STORAGE

**HANDLING:** HANDLE WITH CARE AND AVOID CONTACT WITH EYES AND SKIN. ALWAYS WEAR PROPER CHEMICAL RESISTANT PROTECTIVE EQUIPMENT 29CFR1910.132-138. WASH THOROUGHLY AFTER HANDLING.

**STORAGE:** AVOID RELEASE TO THE ENVIRONMENT. STORE IN LOCKED STORAGE USING CORROSIVE RESISTANT CONTAINERS. KEEP OUT OF REACH OF CHILDREN.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**ENGINEERING CONTROLS:** IF MIST LEVELS ARE HIGH SPECIAL VENTILATION MAY BE REQUIRED.

**EYE / FACE PROTECTION:** CHEMICAL SAFETY GOGLES AND FULL FACE SHIELD.

**SKIN PROTECTION:** CHEMICAL RESISTANT GLOVES AND IMPERVIOUS APRON AND BOOTS.

**THRESHOLD LIMIT VALUE (TLV):** SODIUM HYDROXIDE, 2 MG/M<sup>3</sup>; 2-BUTOXYETHANOL, 20 PPM

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

**PHYSICAL STATE:** LIQUID.

**APPEARANCE:** CLEAR RED LIQUID.

**ODOR:** LIGHT SOLVENT SCENT.

**BOILING POINT:** NOT ESTABLISHED.

**FREEZING POINT:** NOT ESTABLISHED.

**SPECIFIC GRAVITY:** 1.09

**pH (1%):** 11.5-12.0

**EVAPORATION RATE:** NOT ESTABLISHED.

**FLASH POINT:** > 200 F

**LOWER FLAMMABILITY/EXPLOSIVE LIMIT:** NOT ESTABLISHED.

**UPPER FLAMMABLE/EXPLOSIVE LIMIT:** NOT ESTABLISHED.

**AUTO-IGNITION TEMPERATURE:** NOT ESTABLISHED.

**VISCOSITY:** NOT ESTABLISHED.

**REALITIVE DENSITY:** 9.1 LBS./GL.

**SOLUBILITY:** SOLUBLE.

**VAPOR PRESSURE:** NOT ESTABLISHED.

**VAPOR DENSITY:** NOT ESTABLISHED.

**DECOMPOSITION TEMPERATURE:** NOT ESTABLISHED.

**PARTICAL COEFFICIENT:** NOT ESTABLISHED.  
**N-OCTANOL/WATER**

PRODUCT NAME: TIRE KLEEN

DATE PREPARED: 1/2/2020

PRODUCT NUMBER: 9350

SUPERCEDED DATE: 8/28/2018

## 10. STABILITY AND REACTIVITY

**CHEMICAL STABILITY:** STABLE

**CONDITIONS TO AVOID:** NO UNUSUAL CONDITIONS

**INCOMPATIBLE MATERIALS:** SOFT METALS. STRONG ACIDS.

**HAZARDOUS DECOMPOSITION PRODUCTS:** CARBON MONOXIDE AND DIOXIDE FROM THERMAL DECOMPOSITION.

## 11. TOXICOLOGICAL INFORMATION

**EYE IRRITATION/CORROSION:** CAN CAUSE SEVERE BURNS TO EYES AND SKIN

**EFFECTS OF SHORT-TERM EXPOSURE:** IRRITATION OR BURNS TO EYES, SKIN AND MOUTH.

**INGESTION:** CAN CAUSE SEVERE BURNS TO MOUTH, THROAT AND STOMACH.

**LD-50:** NOT ESTABLISHED.

**CARCINOGENICITY:** NOT CONSIDERED A CARCINOGEN BY IARC, ACGIH, NTP, OR OSHA

## 12. ECOLOGICAL IDENTIFICATION

**ECOTOXICITY:** NOT ESTABLISHED.

**PERSISTENCE AND DEGRADABILITY:** BIODEGRADABLE.

**BIOACCUMULATION/ACCUMULATION** NOT ESTABLISHED.

## 13. DISPOSAL CONDITIONS

THIS MATERIAL WHEN DISCARDED IS A HAZARDOUS WASTE DEFINED BY 40CFR261. MATERIALS ARE TO BE DISPOSED OF IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

## 14. TRANSPORTATION INFORMATION

**GROUND SHIPPING INFORMATION:**

UN1760, CORROSIVE LIQUID, N.O.S., (SODIUM HYDROXIDE), 8, PGIII

**WATER SHIPPING INFORMATION:**

UN1760, CORROSIVE LIQUID, N.O.S., (SODIUM HYDROXIDE), 8, PGIII

**AIR SHIPPING INFORMATION:**

UN1760, CORROSIVE LIQUID, N.O.S., (SODIUM HYDROXIDE), 8, PGIII

## 15. REGULATORY INFORMATION

**US FEDERAL REGULATIONS:**

**TSCA (TOXIC SUBSTANCE CONTROL ACT)** ALL COMPONENTS LISTED ON TSCA INVENTORY.

**SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT):**

**313 REPORTABLE INGREDIENTS**


**CAS NUMBER:**

**PERCENT:**

GLYCOL ETHERS

CATEGORY N230

5.0%

**STATE REGULATIONS:**  CALIFORNIA PROPOSITION 65  
Possible Trace Ethylene Oxide cas# 75-21-8  
Possible Trace 1,4-Dioxane cas# 123-91-1

**INTERNATIONAL REGULATIONS:** CLASS E CORROSIVE UNDER CANADIAN WHMIS

**SECTION 15 NOTES:** NONE.

## 16. OTHER INFORMATION

**PHONE NUMBER:** 417-866-8000

**DATE OF PREPARATION:** 1/2/2020

This document is generated for the purpose of distributing health, safety and environmental data. It is not a specification sheet nor should any displayed data be construed as a specification. The information provided in this Safety Data Sheet has been compiled from experience and data presented in various technical publications. It is the user's responsibility to determine the suitability of this information for the adoption of safety precautions as may be necessary. We reserve the right to revise Safety Data Sheets at any time as new technical information becomes available. The information contained herein is furnished without warranty of any kind.